INDEX OF AUTHORS — VOLUME 7

A

AIZU S. Fine structure of cardiac ganglion trunk in prawn, *Penaeus japonicus* Bates, 433

ALBERTINI, D. F., FAWCETT, D. W. and OLDS, P. J. Morphological variations in gap junctions of ovarian granulosa cells, 389

ALLEN, T. M. Scanning electron microscopy of the electric tissue of *Narcine brasiliensis*, 739

B

BAERWALD, R. J. Inverted gap and other cell junctions in cockroach hemocyte capsules: A thin section and freeze-fracture study, 575

—. *See* SMITH, BAERWALD and HART, 369

BANAJA, A. A. *See* RILEY and BANAJA, 33

BECK, L. *See* FOELIX, CHU-WANG and BEOK, 331

BEDINI, C., FERRERO, E. and LANFRANCHI, A. Fine structural observations on the ciliary receptors in the epidermis of three otoplanid species (*Turbellaria, Proseriata*), 253

BELL, R. A. *See* BORG, LOW and BELL 497

BERRIDGE, M. J. *See* SKAER, BERRIDGE and LEE 677

BORG, T. K., LOW, F. N. and BELL, R. A. Morphological and histochemical evidence of mitoribosomes in *Manduca sexta*, 497

BRAATEN, J. T., JÄRLFORS, U., SMITH, D. S. and MINTZ, D. H. Purification of monolayer cell cultures of the endocrine pancreas, 747

BROSSUT, R. *See* QUENNEDEY and BROSSUT, 503

BUCKLEY, I. K. Three dimensional fine structure of cultured cells: Possible implications for subcellular motility, 51

BURKE, J. M. and ROSS, J. A radioautographic study of collagen synthesis by earthworm epidermis, 631

C

CAVENEY, S. and PODGORSKI, C. Intercellular communication in a positional field. Ultrastructural correlates and tracer analysis of communication between insect epidermal cells, 559

CHARVAT, I. D. *See* ESAU and CHARVAT, 619

CHU-WANG, I-WU, *See* FOELIX, CHU-WANG and BECK, 331

CRISP, M., LOWE, G. A. and LAVERACK, M. S. On the ultrastructure and permeability of taste buds of the marine teleost *Ciliata mustela* 191

CROSSLEY, A. C. *See* SELIGMAN, FILSHIE, DOY and CROSSLEY, 281

D

DAVEY, K. G. *See* HUEBNER, TOBE and DAVEY, 297

—. *See* WEBB and DAVEY, 519

—. *See* HUEBNER, TOBE and DAVEY, 535

DELACHAMBRE, J. Les variations de l'architecture dans la cuticle abdominale chez *Tenebrio molitor* L. (Ins. Col.), 669

DENLINGER, D. L. *See* WEI-CHUN, DENLINGER, JÄRLFORS and SMITH, 319

DE VRIES, A. L. *See* DOBBS and DE VRIES, 159

DOBBS, G. H. III and DE VRIES, A. L. The aglomerular nephron of Antarctic teleosts: A light and electron microscopic study, 159

DODSON, R. F., TAGASHIRA, Y. and WAI-FONG CHU, L. The ultrastructure of the middle cerebral artery and its associated nerve fibres in the squirrel monkey and baboon, 171

DOUGLAS, W. H. J., REDDING, R. A. and STEIN, M. The lamellar substructure of osmiophilic inclusion bodies present in rat type II alveolar pneumonocytes, 137

DOY, F. A. *See* SELIGMAN, FILSHIE, DOY and CROSSLEY, 281

E

EISENBERG, B. R. and MOBLEY, B. A. Size changes in single muscle fibers during fixation and embedding, 383

EMERY, D. G. The histology and fine structure of the olfactory organ of the squid *Lolliguncula brevis* Blainville, 357

ESAU, K. and CHARVAT, I. D. An ultrastructural study of acid phosphatase localization in cells of *Phaseolus vulgaris* phloem by the use of the azo dye method, 619

F

FAWCETT, D. W. *See* ALBERTINI, FAWCETT and OLDS, 389

FERRERO, E. *See* BEDINI, FERRERO and LANFRANCHI, 253

FILSHIE, B. K. *See* SELIGMAN, FILSHIE, DOY and CROSSLEY, 281

FOELIX, R. F., CHU-WANG, I-WU and BECK, L. Fine structure of tarsal sensory organs in the whip spider *Admetus pumilio* (Amblypygi, Arachnida), 331

G

GARDNER, E. J. *See* YOUSSEF and GARDNER, 655
GILLY, W. F. Slow fibers in the frog cruralis muscle, 203
GOLDING, D. W. and WHITTLE, A. C. Secretory end-feet, extracerebral cells and cerebral sense organs in certain limicole oligochaete annelids, 469
GRAZIADEI, P. P. C. *See* SANTI and GRAZIADEI, 689
GUBB, D. A direct visualization of helicoidal architecture in *Carcinus maenas* and *Halocynthia papillosa* by scanning electron microscopy, 19

H

HART, M. A. *See* SMITH, BAERWALD and HART, 369
HILLMAN, H. *See* HUSSAIN, HILLMAN and SARTORY, 777
HOCKLEY, D. J., MCLAREN, D. J., WARD, B. J. and NERMUT, M. V. A freeze-fracture study of the tegumental membrane of *Schistosoma mansoni* (Platyhelminthes : Trematoda), 485
HOLLAND, L. Z. and HOLLAND, N. D. The fine structure of epidermal glands of regenerating and mature globiferous pedicellariae of a sea urchin (*Lytechinus pictus*), 723
HOLLAND, N. D. *See* HOLLAND and HOLLAND, 723
HOME, E. M. Ultrastructural studies of development and light-dark adaptation of the eye of *Coccinella septempunctata* L., with particular reference to ciliary structures, 703
HUEBNER, E., TOBE, S. S. and DAVEY, K. G. Structural and functional dynamics of oogenesis in *Glossina austeni*: General features, previtellogenesis and nurse cells, 297
—. Structural and functional dynamics of oogenesis in *Glossina austeni*: Vitellogenesis with special reference to the follicular epithelium, 535
HUIE, P. *See* LOCKE and HUIE, 211
HUSSAIN, T., HILLMAN H. and SARTORY, P. The histological localization of DNA in rabbit medullary neurons, 777

J

JÄRLFORS, U. *See* WEI-CHUN, DENLINGER, JÄRLFORS and SMITH, 319
—. *See* BRAATEN, JÄRLFORS, SMITH, and MINTZ, 747
JEW, J. Y. *See* WILLIAMS and JEW, 307
JUBERTHIE-JUPEAU, L. Les glandes tegumentaires de la fossette supra-anale des Scutigerellidae (Symphyla, Myriapoda), 347

K

KNIGHT, D. P. Negative staining of rat tail tendon collagen fibrils with uranyl formate, 651

L

LANFRANCHI, A. *See* BEDINI, FERRERO and LANFRANCHI, 253
LAVERACK, M. S. *See* CRISP, LOWE and LAVERACK, 191
LEDGER, P. W. Septate junctions in the calcareous sponge *Sycon ciliatum*, 13
LEE, W. M. *See* SKAER, BERRIDGE and LEE, 677
LIU, T. P. Ultrastructural analysis of the freeze-etched spore envelope of *Nosema apis* Zander, 613
LOCKE, M. and HUIE, P. Staining of the elastic fibers in insect connective tissue after tannic acid/glutaraldehyde fixation, 211
—. and SYKES, A. K. The role of the Golgi complex in the isolation and digestion of organelles, 143
LOW, F. N. *See* BORG, LOW and BELL, 497
LOWE, G. A. *See* CRISP, LOWE and LAVERACK, 191

M

MACKIE, J. B. *See* TUCKER and MACKIE, 601
MCLAREN, D. J. *See* HOCKLEY, MCLAREN, WARD and NERMUT, 485
MINTZ, D. H. *See* BRAATEN, JÄRLFORS, SMITH and MINTZ, 747
MOBLEY, B. A. *See* EISENBERG and MOBLEY, 383
MORAN, D. T. and ROWLEY, J. C. III. The fine structure of the cockroach subgenual organ, 91
MORRIS, G. P. and STEEL, C. G. H. Ultrastructure of neurosecretory cells in the pars intercerebralis of *Rhodnius prolixus* (Hemiptera), 73

N

NEMANIC, P. Fine structure of the compound eye of *Porcellio scaber* in light and dark adaption, 453
NERMUT, M. V. *See* HOCKLEY, MCLAREN, WARD and NERMUT, 485
NEWCOMB, E. H. *See* WERGIN, PALEVITZ and NEWCOMB, 227
NICKERSON, P. A. Effect of partial thyroidectomy, Propylthiouracil or thyroxine on estrogen-induced intranuclear inclusions in mammotrophs of the Mongolian gerbil, 763
—. Intranuclear inclusions in mammotrophs of the Mongolian gerbil: Effect of low doses of Estradiol benzoate and a study of females before weaning, 773

O

OLDS, P. J. *See* ALBERTINI, FAWCETT and OLDS, 389
OLMSTED, J. B. *See* ROSS, OLMSTED and ROSENBAUM, 107

P

PALEVITZ, B. A. *See* WERGIN, PALEVITZ and NEWCOMB, 227
PALIWAL, Y. C. Ultrastructural pathology of leaf cells of ryegrass (*Lolium multiflorum*), 217
PETEYA, D. J. The ciliary-cone sensory cell of anemones and cerianthids, 243
PODGORSKI, C. *See* CAVENEY and PODGORSKI, 559

Q

QUENNEDEY, A. and BROSSUT, R. Les glandes mandibulaires de *Blaberus craniifer* Burm. (Dictyoptera, Blaberidae) developpment, structure et fonctionnment, 503

R

REDDING, R. A. *See* DOUGLAS, REDDING and STEIN, 137
RIEGER, R. M. and RIEGER, G. E. The structure of the pharyngeal bulb in *Trilobodrilus* and its phylogenetic significance within Archiannelids, 267
RIEGER, G. E. *See* RIEGER and RIEGER, 267
RILEY, J. and BANAJA, A. A. Some ultrastructural observations on the integument of a pentastomid, 33
ROSENBAUM, J. L. *See* ROSS, OLMSTED and ROSENBAUM, 107
ROSS, J., OLMSTED, J. B. and ROSENBAUM, J. L. The ultrastructure of mouse neuroblastoma cells in tissue culture, 107
—. Cylindrical organelles associated with microtubules during sperm elongation in a mealybug, 525
—. *See* Burke and Ross, 631
ROWLEY, J. C. III. *See* MORAN and ROWLEY, 91
RYAN, J. W. *See* RYAN, RYAN, SMITH and WINKLER, 181
—. *See* RYAN, RYAN and SMITH, 587
RYAN, U. S., RYAN, J. W., SMITH, D. S. and WINKLER, H. Fenestrated endothelium of the adrenal gland: Freeze-fracture studies, 181
—, RYAN, J. W. and SMITH, D. S. Alveolar Type II cells: Studies on the mode of release of lamellar bodies, 587

S

SANTI, P. A. and GRAZIADEI, P. P. C. A light and electron microscope study of intraepithelial putative mechanoreceptors in squid suckers, 689
SARTORY, P. *See* HUSSAIN, HILLMAN and SARTORY, 777
SCHUSTER, F. L. Ultrastructure of mitosis in the amoeboflagellate *Naegleria gruberi*, 1
SELIGMAN, I. M., FILSHIE, B. K., DOY, F. A. and CROSSLEY, A. C. Hormonal control of morphogenetic cell death of the wing hypodermis in *Lucilia cuprina*, 281
SKAER, H. LE, BERRIDGE, M. J. and LEE, W. M. A freeze-fracture study of adult *Calliphora* salivary glands, 677
SMITH, D. S., BAERWALD, R. J. and HART, M. A. The distribution of orthogonal assemblies and other intercalated particles in frog sartorius and rabbit sacrospinalis muscle, 369
—. *See* RYAN, RYAN, SMITH and WINKLER, 181
—. *See* WEI-CHUN, DENLINGER, JÄRLFORS and SMITH, 319
—. *See* RYAN, RYAN and SMITH, 587
—. *See* BRAATEN, JARLFORS, SMITH and MINTZ, 747
STEEL, C. G. H. *See* MORRIS and STEEL, 73
STEIN, M. *See* DOUGLAS, REDDING and STEIN, 137
SUN, C. N. and WHITE, H. J. Extracellular cross-striated banded structures in human connective tissues, 419
SYKES, A. K. *See* LOCKE and SYKES, 143

T

TAGASHIRA, Y. *See* DODSON, TAGASHIRA and WAI-FONG CHU, 171
TOBE, S. S. *See* HUEBNER, TOBE and DAVEY, 297
—. *See* HUEBNER, TOBE and DAVEY, 535
TUCKER, J. B. and MACKIE, J. B. Configurational changes in helical microtubule frameworks in feeding tentacles of the suctorian ciliate *Tokophrya*, 601
WAI-FONG CHU, L. *See* DODSON, TAGASHIRA and WAI-FONG CHU, 171
WARD, B. J. *See* HOCKLEY, MCLAREN, WARD and NERMUT, 485
WEBB, R. A. and DAVEY, K. G. Ultrastructural changes in an unciliated sensory receptor during activation of the metacestode of *Hymenolepis microstoma*, 519
WEI-CHUN, M., DENLINGER, D. L., JÄRLFORS, U. and SMITH, D. S. Structural modulations in the tsetse fly milk gland during a pregnancy cycle, 319
WERGIN, W. P., PALEVITZ, B. A. and NEWCOMB, E. H. Structure and development of P-protein in phloem parenchyma and companion cells of legumes, 227
WHITE, H. J. *See* SUN and WHITE, 419
WHITTLE, A. C. *See* GOLDING and WHITTLE, 469
WILLIAMS, T. H. and JEW, J. Y. An improved method for perfusion fixation of neural tissues for electron microscopy, 307
WINKLER, H. *See* RYAN, RYAN, SMITH and WINKLER, 181

Y

YOUSSEF, N. N. and GARDNER, E. J. The compound eye in the opaque-eye of *Drosophila melanogaster*, 655

A

Acid phosphatase, localization of in cells of *Phaseolus vulgaris* phloem by the use of the azo dye technique, an ultrastructural study of, 619
Adaptation, light-dark, fine structure of the compound eye of *Porcellio scaber* in, 453
—, —, of the eye of *Coccinella septempunctata*, 703
Adrenal gland, fenestrated endothelium of, freeze-fracture studies, 181
Aglomerular nephron, of Antarctic teleosts: A light and electron microscopic study, 159
Alveolar pneumonocytes, type II, of rat, lamellar substructure of osmiophilic inclusion bodies in, 137
Alveolar type II cells, studies on the mode of release of lamellar bodies from, 587
Amoeboflagellate, *Naegleria gruberi*, ultrastructure of mitosis in, 1
Annelid, earthworm, collagen synthesis in, 631
—s, oligochaete, secretory end-feet, extracerebral cells and cerebral sense organs in, 469
Arachnid, whip spider, *Admetus pumilio*, fine structure of tarsal sensory organs in, 331
Archiannelid, *Trilobodrilus*, structure of the pharyngeal bulb in, and its phylogenetic significance, 267
Artery, middle cerebral, and associated nerve fibers, in squirrel monkey and baboon, 171

C

Calcareous sponge, *Sycon ciliatum*, 13
Cardiac ganglion, in a prawn *Penaeus japonicus*, fine structure of, 433
Cell death, morphogenetic, hormonal control of, in the wing epidermis of *Lucilia cuprina*, 281
Cerebral artery, and associated nerve fibers, in squirrel monkey and baboon, 171
Ciliary receptors, in the epidermis of three otoplanid species (Turbellaria, Proseriata), fine structural observations on, 253
Ciliary structures, ultrastructural studies of development and light-dark adaptation in the eye of *Coccinella septempunctata*, with reference to, 703
Ciliary-cone sensory cell, of anemones and cerianthids, 243
Ciliate, suctorian, *Tokophrya*, 601
Circulatory system, fenestrated endothelium of the adrenal gland, 181
— —, middle cerebral artery of monkey and baboon, 171
Cockroach, sungenual organ, fine structure of, 91
—, hemocyte capsules, freeze-fracture of, 575
Coelenterates, anemones and cerianthids, ciliary-cone sensory cells of, 243
Collagen, rat tail, negative staining of, with uranyl formate, 651
—, synthesis of, by earthworm epidermis, a radioautographic study, 631
Communication, intracellular, in a positional field. Ultrastructural correlates and tracer analysis of communication between insect epidermal cells, 559
Compound eye, of *Porcellio scaber*, fine structure of, in light and dark adaptation, 453
— —, of *Coccinella septempunctata*, in light and dark adaptation, 703
Connective tissue, insect, staining of elastic fibers in, after tannic acid/glutaraldehyde fixation, 211
— —s, human, extracellular cross-banded strucures in, 419
Crustacea, *Carcinus maenas* and *Halocynthia papillosa*, 19
—, *Penaeus japonicus*, cardiac ganglion of.
Cultured cells, mouse neuroblastoma, 107
— —, of rat endocrine pancreas, 747
— —, three-dimensional fine structure of: possible implications for subcellular motility, 51
Cuticle, abdominal, of *Tenebrio molitor*, variations of architecture within, 669
—, helicoidal architecture in, SEM study, 19
—, of a pentastomid, 33

D

Digestion, and isolation of organelles, role of the Golgi complex in, 143
DNA, histochemical localisation of, in rabbit medullary neurons, 777

E

Echinoderm, sea urchin *Lytechinus pictus*, 723
Elastic fibers, in insect connective tissue, after tannic acid/glutaraldehyde fixation, 211
Electric tissue, of *Narcine brasiliensis*, SEM of, 739
Endocrine pancreas, purification of monolayer cultures of, 747
Endothelium, fenestrated, of adrenal gland, freeze-fracture studies, 181
Epidermis, earthworm, a radioautographic study of collagen synthesis in, 631

—, fine structural observations on the ciliary receptors in, in three otoplanid species (Turbellaria, Proseriata), 253
—, wing, of Lucilia cuprina, hormonal control of cell death in, 281
Epidermal cells, insect, communication between, 559
Epithelium, follicular, in *Glossina austeni*, 535
Estradiol benzoate, effects of low doses on intranuclear inclusions in mammotrophs, 773
Estrogen-induced intranuclear inclusions, 763
Extracellular cross-striated banded structures in human connective tissues, 419
Eye, of *Coccinella septempunctata*, ultrastructural studies of development and light-dark adaptation of, with reference to ciliary structures, 763
—, compound, in the opaque-eye phenotype of *Drosophila melanogaster*, 655
—, —, of *Porcellio scaber*, in light and dark adaptation, 453

F

Fibers, elastic, staining of, in insect connective tissue, 211
—, muscle, single, size changes in, during fixation and embedding, 383
—, slow, in the frog cruralis muscle, 203
—, of frog and rabbit muscle, intercalated particles in, 369
Fibrils, collagen, of rat tail, negative staining of, 651
Fish, *Narcine brasiliensis*, electric tissue of, 739
—, Antarctic teleosts, aglomerular nephron of, 159
Fixation, and embedding, size changes in single muscle fibers during, 383
—, perfusion, and improved method, for neural tissues, 407
—, tannic acid/glutaraldehyde, of insect connective tissue, 211
Follicular epithelium, vitellogenesis, with special reference to, in *Glossina*, 535
Freeze-etching, of spore envelope of *Nosema apis*, 613
Freeze-fracture, of fenestrated endothelium of adrenal gland, 181
—, of inverted gap- and other cell junctions in cockroach hemocyte capsules, 575
—, study of adult *Calliphora* salivary glands, 677
—, study of gap junctions of ovarian granulosa cells, 389
—, study of orthogonal assemblies and other intercalated particles in frog and rabbit muscle, 369
—, study of the tegumental membrane of *Schistosoma mansoni*, 485
Frof, sartorius muscle, intercalated particles in, 369
—, slow fibers in the cruralis muscle of, 203

G

Ganglion, cardiac, in the prawn *Penaeus japonicus*, fine structure of, 433
Gap junctions, inverted, in cockroach hemocyte capsules, 575
— —, of ovarian granulosa cells, morphological variations in, 389
Gerbil, Mongolian, intranuclear inclusions in mammotrophs of, 763, 773
Gland, adrenal, fenestrated endothelium of, 181
—, milk, of tsetse fly, strutural modulations in, during a pregnancy cycle, 319
—s, epidermal, of regenerating and mature globiferous pedicellariae of a sea urchin *Lytechinus pictus*, fine structure of, 723
—, mandibular, of *Blaberus craniifer* (Dictyoptera, Blaberidae): development, structure and function, 503
—, salivary, of *Calliphora*, a freeze-fracture study of, 677
—, tegumentary, of the supra-anal pit of Scutigerellidae (Symphyla, Myriapoda), 347
Golgi complex, role of, in the isolation and digestion of organelles, 143
Granulosa cells, ovarian, freeze-fracture study of gap junctions in, 389

H

Helicoidal architecture, direct visualisation of in *Carcinus maenas* and *Halocynthia papillosa*, by SEM, 19
Hemocyte capsules, cockroach, inverted gap and other cell junctions in, 575
Histochemical localization, of DNA, in rabbit medullary neurons, 777
Hormonal control, of morphogenetic cell death, in the wing hypodermis, in *Lucilia cuprina*, 281

I

Insect, *Blaberus craniifer*, 503
—, *Calliphora*, salivary glands of, 677
—, *Coccinella septempunctata*, light-dark adaptation of the eye of, 703
—, cockroach, 91, 575
—, connective tissue, staining of elastic fibers in, 211
—, *Drosophila melanogaster*, 655
—, epidermal cells, communication between, 559
—, *Glossina austeni*, structural and functional dynamics of oogenesis in, 297, 535
—, *Lucilia cuprina*, hormonal control of cell death in the wing hypodermis of, 281
—, *Manduca sexta*, morphological and histochemical evidence for mitoribosomes in, 497
—, mealybug, sperm of, 525
—, *Rhodnius prolixus*, neurosecretory cells in, 73
—, Symphyla, Myriapoda, tegumentary glands of, 347
—, *Tenebrio molitor*, cuticle of, 669
—, tsetse fly, structural modulations during a pregnancy cycle in, 319
Integument, direct visualization of helicoidal architecture in, by SEM, 19
—, of a pentastomid, ultrastructural observations on, 33
—, of *Schistosoma mansoni*, freeze-fracture study, 485
—, of *Tenebrio molitor*, 669

Intercellular communication, in a positional field: Ultrastructural correlates and tracer analysis of communication between insect epidermal cells 559
Isolation, and digestion, of organelles, role of the Golgi complex in, 143
Isopod, *Porcellio scaber*, compound eye of, 453

J

Junctions, cell, inverted gap and other, in cockroach hemocyte capsules: A thin section and freeze-fracture study, 575
—, gap morphological variations in, of ovarian granulosa cells, 389
—, septate, in the calcareous sponge *Sycon ciliatum*, 13

K

Kidney, the aglomerular nephron of Antarctic teleosts, 159

L

Lamellar bodies, studies on the mode of release of, in alveolar type II cells, 587
— substructure, of osmiophilic inclusion bodies present in rat type II alveolar pneumonocytes, 137
Leaf cells, of ryegrass, *Lolium multiflorum*, ultrastructural pathology of, 217
Legumes, structure and development of P-protein in phloem parenchyma and companion cells of, 227
Lung, alveolar type II cells: studies on the mode of release of lamellar bodies, 587
—, of rat, type II alveolar pneumonocytes in, 137

M

Mammotrophs, of the Mongolian gerbil, effects of partial thyroidectomy, propylthiouracil or thyroxine on intranuclear inclusions in, 763
—, —, effects of low doses of estradiol benzoate on intranuclear inclusions in, 773
Mandibular glands, of *Blaberus craniifer*, development, structure and function, 503
Mechanoreceptors, intraepithelial, in squid suckers, a light and electron microscope study, 689
Microsporidian, *Nosema apis*, freeze-etched spore envelope of, 613
Microtubule frameworks, helical, in feeding tentacles of the suctorian ciliate *Tokophrya*, configurational changes in, 601
Microtubules, cylindrical organelles associated with, during sperm elongation in a mealybug, 525
Milk gland, structural modulations of, during a pregnancy cycle, in a tsetse fly, 319
Mitoribosomes, morphological and histochemical evidence for, in *Manduca sexta*, 497
Mitosis, ultrastructure of in the amoeboflagellate *Naegleria gruberi*, 1
Mollusc, squid, *Lolliguncula brevis*, olfactory organ of, 357
—, —, putative mechanoreceptors in, 689
Monolayer cell cultures, of the endocrine pancreas, purification of, 747
Motility, subcellular, possible implications for, in three-dimensional fine structure of cultured cells, 51
Mouse, ultrastructure of neuroblastoma cells of, in tissue culture, 107
Muscle, cruralis, frog, slow fibers in, 203
—, frog sartorius and rabbit sacrospinalis, the distribution of orthogonal assemblies and other intercalated particles in, 369
— fibers, size changes in, during fixation and embedding, 383

N

Negative staining, of rat tendon collagen fibrils, with uranyl formate, 651
Nephron, aglomerular, of Antarctic teleosts, 159
Nervous system, ciliary receptors in the epidermis of turbellarians, 253
—, fine structure of cardiac ganglion in a prawn *Penaeus japonicus*, 433
—, nerve fibers associated with middle cerebral artery, 171
—, neural tissues, an improved method for perfusion fixation of, for electron microscopy, 407
—, rabbit medullary neurones, histochemical localization of DNA in, 777
—, ultrastructure of neurosecretory cells in the pars intercerebralis of *Rhodnius prolixus*, 73
—, sensory, ciliary cone cell of anemones and cerianthids, 243
—, —, ciliary receptors in the epidermis of tuberllarians, 253
—, —, compound eye of *Drosophila melanogaster*, 655
—, —, compound eye of *Porcellio scaber*, 453
—, —, compound eye of *Coccinella septempunctata*, 703
—, —, fine structure of tarsal organs in the whip spider, 331
—, —, in oligochaete annelids, 469
—, —, mechanoreceptors, in squid suckers, 689
—, —, olfactory organ of the squid *Lolliguncula brevis*, 357
—, —, unciliated receptor in metacestode of *Hymenolepis microstoma*, 519
Neural tissues, an improved method for fixation of, for electron microscopy, 407
Neuroblastoma cells, mouse, ultrastructure of in tissue culture, 107
Neurons, medullary, histochemical localization of DNA in, 777
Neurosecretory cells, ultrastructure of, in the pars intercerebralis of *Rhodnius prolixus*, 73
Nucleus, inclusions in, in mammotrophs, 763, 773
—, mitosis in amoeboflagellate, 1
Nurse cells, previtellogenesis and, in *Glossina austeni*: structural and functional dynamics of oogenesis, 297

O

Olfactory organ, of the squid *Lolliguncula brevis*, histology and fine structure of, 357

Oogenesis, structural and functional dynamics of, in *Glossina austeni:* General features, previtellogenesis and nurse cells, 297
—, —, —, Vitellogenesis with special reference to the follicular epithelium, 535
Organ, olfactory, of the squid, histology and fine structure of, 357
—, subgenual, of cockroach, fine structure of, 91
—s, sensory, tarsal, in the whip spider *Admetus pumilio*, 331
Organelles, cylindrical, associated with microtubules during sperm elongation in a mealybug, 525
—, role of the Golgi complex in the isolation and digestion of, 143
Ovarian granulosa cells, morphological variations in gap junctions of, 389
Ovary, of *Glossina*, 297, 535

P

Pancreas, endocrine, purification of monolayer cell cultures of, 747
Particles, intercalated, distribution of orthogonal assemblies of, in frog sartorius and rabbit sacrospinalis muscle, 369
Pathology, ultrastructural, of leaf cells of ryegrass *Lolium multiflorum*, 217
Pedicellariae, globiferous, of a sea urchin, fine structure of epidermal glands of, 723
Pentastomid, ultrastructural observations on the integument of, 33
Perfusion fixation, an improved method of, for neural tissues, 407
Pharyngeal bulb, structure of, in *Trilobodrilus*, and its phylogenetic significance within Archiannelida, 267
Phloem, of *Phaseolus vulgaris*, acid phosphatase localization in, 619
— parenchyma, and companion cells of legumes, structure and development of P-protein in, 227
Plant, legume, P-protein in phloem and companion cells of, 227
—, *Phaseolus vulgaris*, acid phosphatase localization in cells of, 619
—, ryegrass, *Lolium multiflorum*, pathology of leaf cells of, 217
Platyhelminth, *Hymenolepis microstoma*, receptor in metacestode of, 519
—, *Schistosoma mansoni*, integument of, 485
—s, ciliary receptors in the epidermis of three otoplanid species, 253
Pneumonocytes, alveolar, type II, of rat, osmiophilic inclusion bodies in, 137
P-protein, in phloem and paranchyma and companion cells of legumes, 227
Pregnancy cycle, structural modulations in, in the tsetse fly milk gland, 319
Previtellogenesis, and nurse cells, structural and functional dynamics of, in *Glossina austeni*, 297
Primates, squirrel monkey and baboon, middle cerebral artery and associated nerve fibers of, 171
Protein, P-, structure and development of, in legumes, 227
Protozoa, *Naegleria gruberi*, mitosis in, 1
—, suctorian ciliate, *Tokophrya*, 601

R

Rabbit, medullary neurons, histochemical localization of DNA in, 777
—, sarcospinalis muscle, intercalated particles in, 369
Radioautographic study, of collagen synthesis by earthworm epidermis, 631
Rat, monolayer cell cultures of the endocrine pancreas of, 747
—, negative staining of collagen fibrils of, 651
—, type II alveolar cells in, 587
—, type II alveolar pneumonocytes in, 137
— tail, tendon collagen fibrils, negative staining of with uranyl formate, 651
Release, of lamellar bodies, studies on the mode of, 587
Reproductive system, morphological variations in gap junctions of ovarian granulosa cells, 389
—, of *Glossina*, 297, 389
—, sperm, elongation of in a mealybug, 525

S

Salivary glands, of adult *Calliphora*, a freeze-fracture study of, 677
Sea urchin, *Lytechinus pictus*, globiferous pedicellariae of, 723
Secretory end-feet, extracerebral cells and cerebral sense organs in certain limicole oligochaete annelids, 469
SEM, direct visualization of helicoidal architecture of cuticle by, 19
—, of electric tissue of *Narcine brasiliensis*, 739
Sense organs, cerebral, secretory end-feet and extracerebral cells in annelids, 469
Sensory cell, ciliary cone, of anemones and cerianthids, 243
— organs, tarsal, in the whip spider *Admetus pumilio*, 331
— receptor, unciliated, ultrastructural changes in, during activation of the metacestode of *Hymenolepis microstoma*, 519
Septate junctions, in the sponge *Sycon ciliatum*, 13
Sperm elongation, in a mealybug, cylindrical organelles associated with, 525
Sponge, *Sycon ciliatum*, septate junctions in, 13
Spore envelope, of *Nosema apis*, ultrastructural analysis of, by freeze-etching, 613
Staining, negative, of rat tail tendon collagen fibrils, with uranyl formate, 651
Subcellular motility, possible implications for, in three-dimensional fine structure of cultured cells, 51

T

Tannic acid/glutaraldehyde, fixation, of elastic fibers in insect connective tissue, 211
Tarsal sensory organs, in the whip spider *Admetus pumilio*, fine structure of, 331
Tegumental membrane of *Schistosoma mansoni* (Platyhelminthes, Trematoda), freeze-fracture study, 485
Tegumentary glands, of the supra-anal pit of Scutigerellidae (Symphyla, Myriapoda), 347
Three dimensional fine structure of cultured cells: possible implications for subcellular motility, 51
Thyroidectomy, effects of partial, propylthiouracil or thyroxine on estrogen-induced intranuclear inclusions in mammotrophs, 763
Tissue culture, of endocrine pancreas, 747
—, ultrastructure of mouse neuroblastoma cells in, 107
—, three-dimensional fine structure of cells in, 51

V

Vitellogenesis, in *Glossina austeni*, with special reference to the follicular epithelium, 535

CTS

il or
nclu-
763
747
, 107
51

ecial
535